

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(aluminum near pigment). clm. and schlegl.in. and trummer.in. and henglein. in. and schneider.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/06/16 11:42
S2	38	milling same aluminum same solvent same lubricant same media	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/06/16 11:49
S3	13	milling near5 aluminum and (media same solvent same lubricant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/06/16 11:55
S4	2	EP-1621586-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/08/13 16:00
S5	0	S4 and aspect near ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/08/13 16:15
S6	0	S4 and roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/08/13 16:15
S7	0	S4 and water near coverage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/08/13 16:15
S8	0	S4 and (coated or coating or layer) with (lubricant or stearic or oleic or oil)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/08/13 16:15
S9	9852	(aluminum or alumina or "Al.sub.2O.sub.3" or "Al. sub.2 O.sub.3" or "Al2O3") near10 (coating or coated or covered or encapsulat\$4) same (lubricant or oil or oleic or stearic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 11:03

S10	1896	(aluminum or alumina or "Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ ") near10 (coating or coated or covered or encapsulat\$4) same (lubricant or oil or oleic or stearic) same thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 11:05
S11	87	(aluminum or alumina or "Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ ") near10 (coating or coated or covered or encapsulat\$4) same (lubricant or oil or oleic or stearic) same thickness same (surface near area or BET)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 11:05
S12	71	(aluminum or alumina or "Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ ") near10 (coating or coated or covered or encapsulat\$4) same (lubricant or oil or oleic or stearic) same thickness same roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 11:06
S13	1	(aluminum or alumina or "Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ ") near10 (coating or coated or covered or encapsulat\$4) same (lubricant or oil or oleic or stearic) same thickness same roughness same aspect near ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 11:06
S14	4	((aluminum or alumina or "Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ ") with pigment).ti. and ((aluminum or alumina or "Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ ") near10 (coating or coated or covered or encapsulat\$4)).ab. and (lubricant or oil or oleic or stearic) same thickness same roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 11:07

S15	23	((aluminum or alumina or "Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ ") with pigment).ti. and ((aluminum or alumina or "Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ ") near10 (coating or coated or covered or encapsulat\$4)).ab. same (lubricant or oil or oleic or stearic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 11:07
S16	19	(aluminum or alumina) same water near coverage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 13:36
S17	2031820	(aluminum or alumina) withwater near coverage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 13:37
S18	13	(aluminum or alumina) with water near coverage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 13:37
S19	12	(aluminum or alumina) with water near coverage and (thickness or size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 13:38
S20	3	(aluminum or alumina) with water near coverage and (thickness or size or diameter) and (aspect near ratio or roughness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 13:42
S21	546	106/404.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 13:57
S22	675	106/415.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 13:57
S23	113	(S21 S22) and ((aluminum or alumina) near3 pigment).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:37
S24	4	(S21 S22) and ((aluminum or alumina) near3 pigment).clm. and (thickness or diameter or size) and roughness and (lenght near3 thickness or aspect near ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:38

S25	13	((aluminum or alumina) near3 pigment).clm. and (thickness or diameter or size) and roughness and (lenght near3 thickness or aspect near ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:39
S26	478	aluminum near2 pigment same (lubricant or stearic or oleic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:40
S27	4	aluminum near2 pigment same (lubricant or stearic or oleic) same roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:41
S28	2	EP-1424371-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:41
S29	2	EP-1080810-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:42
S30	2	EP-1621586-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:42
S31	133292	aspect near ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:59
S32	16867	aspect near ratio with thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:59
S33	9756	aspect near ratio near5 thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:59
S34	2680	aspect near ratio near5 thickness near5 diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:59
S35	44	aspect near ratio near5 thickness near5 diameter and aluminum near pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 14:59
S36	2	EP-1621586-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 16:35

S37	0	S36 and (roughness or smooth or smoothness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 16:35
S38	2	EP-1424371-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 16:36
S39	0	S38 and (roughness or smooth or smoothness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 16:36
S40	2	EP-1080810-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 16:36
S41	2	S40 and (roughness or smooth or smoothness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/13 16:36
S42	186	roughness same (alumina or aluminum) with pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 08:47
S43	191	roughness and ((alumina or aluminum) with pigment).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 08:48
S44	12	roughness near3 value and ((alumina or aluminum) with pigment).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 08:48
S45	10	roughness near3 value same (alumina or aluminum or "Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al2O3") with pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 08:52
S46	2	EP-1621586-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 09:33
S47	0	JP-200129877-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 09:39
S48	0	JP-0129877-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 09:39

S49	2	JP-2001029877-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 09:39
S50	2	EP-1621586-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/14 10:20
S51	1	2004-074901.NRAN.	DERWENT	OR	ON	2009/10/14 10:23
S52	4366	(passivat\$4 or corrosion) with phosphoric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 11:08
S53	0	(passivat\$4 or corrosion) with phosphoric and ((alumimum or alumia or "Al.sub.2O.sub.3" or "Al. sub.2 O.sub.3" or "Al2O3") near5 pigment). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 11:09
S54	1	(passivat\$4 or corrosion) with phosphoric and ((alumimum or alumia or "Al.sub.2O.sub.3" or "Al. sub.2 O.sub.3" or "Al2O3") with pigment). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 11:09
S55	17	(passivat\$4 or corrosion) with phosphoric and (alumimum or alumia or "Al.sub.2O.sub.3" or "Al. sub.2 O.sub.3" or "Al2O3").ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 11:09
S56	3	(passivat\$4 or anti near corrosion) with phosphoric and (alumimum or alumia or "Al.sub.2O.sub.3" or "Al. sub.2 O.sub.3" or "Al2O3").ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 11:12
S57	9	(passivat\$4 or anti near corrosion) with phosphoric same (alumimum or alumia or "Al.sub.2O.sub.3" or "Al. sub.2 O.sub.3" or "Al2O3")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 11:12
S58	31	(passivat\$4 or anti near corrosion) with phosphoric same pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 11:49

S59	12	(passivat\$4 or anti near corrosion) with chromium near oxide same pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 12:08
S60	0	aluminum near10 exothermic same (passivat \$4 or anti near corrosion) with chromium near oxide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 12:11
S61	0	aluminum near10 exothermic same (passivat \$4 or anti near corrosion) with (phosphate or phosphite or borate or vanadium near oxide or molybdenum nera oxide or molybdenum near peroxide or silicon near oxide or zirconium near oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 12:12
S62	0	aluminum near20 exothermic same (passivat \$4 or anti near corrosion) with (phosphate or phosphite or borate or vanadium near oxide or molybdenum nera oxide or molybdenum near peroxide or silicon near oxide or zirconium near oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 12:12
S63	1	aluminum near20 exothermic same (passivat \$4 or anti near corrosion) same (phosphate or phosphite or borate or vanadium near oxide or molybdenum nera oxide or molybdenum near peroxide or silicon near oxide or zirconium near oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 12:12
S64	546	106/404.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 12:59
S65	675	106/415.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 12:59
S66	0	(S64 S65) and nail near varnish with aluminum near (flake or platelet or "plate-like")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 12:59

S67	1	(S64 S65) and nail near varnish with aluminum near2 (pigment or flake or platelet or "plate-like")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:00
S68	13	nail near varnish with aluminum near2 (pigment or flake or platelet or "plate-like")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:00
S69	96	cosmetic with aluminum near2 (pigment or flake or platelet or "plate-like")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:13
S70	4	aluminum near2 (pigment or flake or "plate-like" or platelike or platelet) same (coated or coating or layer) same silicon near dioxide same silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:28
S71	3	("3776473").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/10/14 13:29
S72	0	S71 and silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:29
S73	0	S71 and silicon near dioxide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:29
S74	0	S71 and silicon near oxide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:29
S75	0	S71 and ("SiO ₂ " or "SiO ₂ .sub.2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:29
S76	23737	("Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ " or alumina) with (coated or coat or coating or layer) with ("SiO ₂ .sub.2" or "SiO ₂ " or silicon near (oxide or dioxide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:32

S77	72	("Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ " or alumina) with (coated or coat or coating or layer) with ("SiO.sub.2" or "SiO ₂ " or silicon near (oxide or dioxide)) and ((alumina or aluminum) near4 (pigment or flake or plate or platelet or platy or "plate-like")).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:33
S78	3	("Al.sub.2O.sub.3" or "Al.sub.2 O.sub.3" or "Al ₂ O ₃ " or alumina) with (coated or coat or coating or layer) with ("SiO.sub.2" or "SiO ₂ " or silicon near (oxide or dioxide)) and ((alumina or aluminum) near4 (pigment or flake or plate or platelet or platy or "plate-like")).ab. and silane near5 (coated or coating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:35
S79	105	((alumina or aluminum) near4 (pigment or flake or plate or platelet or platy or "plate-like")).ab. and silane near5 (coated or coating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:35
S80	0	aluminum near10 exothermic same (passivat \$4 or anti near corrosion) with (silicon near oxide) with silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:37
S81	0	aluminum near10 exothermic same (passivat \$4 or anti near corrosion) with (silicon near oxide) same silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:38
S82	0	aluminum near10 exothermic same (passivat \$4 or anti near corrosion) same (silicon near oxide) same silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:38
S83	0	aluminum near10 exothermic same (passivat \$4 or anti near corrosion) and (aluminum or "Al. sub.2O.sub.3" or alumina) with (layer or coating or coat) with (silicon near oxide) same silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:39

S84	14	aluminum near10 (passivat\$4 or anti near corrosion) and (aluminum or "Al.sub.2O.sub.3" or alumina) with (layer or coating or coat) with (silicon near oxide) same silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:39
S85	0	aluminum near3 (pigment or flake or plate or platelet or "plate-like") near10 (passivat\$4 or anti near corrosion) and (aluminum or "Al.sub.2O.sub.3" or alumina) with (layer or coating or coat) with (silicon near oxide) same silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:40
S86	113	silane with coupling with aluminum near5 (pigment or flake or platelet or platy or "plate-like")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:41
S87	51	silane with coupling with aluminum near2 (pigment or flake or platelet or platy or "plate-like")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:41
S88	9	silane with coupling with (resistance or weatherability) with aluminum near2 (pigment or flake or platelet or platy or "plate-like")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:44
S89	10	silane with (resistance or weatherability) with aluminum near2 (pigment or flake or platelet or platy or "plate-like")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:48
S90	1	S89 not S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:48
S91	16	silane with (resistance or weatherability) near30 aluminum near2 (pigment or flake or platelet or platy or "plate-like")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:48
S92	7	S91 not S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:48

S93	0	pigment near3 (flake or "plate-like" or platelet) with (passivat\$4 or anti near (corrosion or corrosive)) with silicon near (oxide or dioxide) same silane and pigment near2 flake near5 metallic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:56
S94	0	pigment near3 (flake or "plate-like" or platelet) with (passivat\$4 or anti near (corrosion or corrosive)) same silicon near (oxide or dioxide) same silane and pigment near2 flake near5 metallic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:56
S95	3	pigment near3 (flake or "plate-like" or platelet) with (passivat\$4 or anti near (corrosion or corrosive)) same silicon near (oxide or dioxide) and pigment near2 flake near5 metallic and silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 13:56
S96	2	("20070199478").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/10/14 14:01
S97	2	S96 and silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 14:01
S98	236	schlegl.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 14:16
S99	272	trummer.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 14:16
S100	80	henglein.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 14:16
S101	38747	schneider.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 14:16
S102	5	(S98 S99 S100 S101) and (aluminum near pigment). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 14:16

S103	0	"JP-2003082258."\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 14:20
S104	0	"JP-2003082258."\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 14:20
S105	2	JP-2003082258-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/10/14 14:21
S106	190	(pigment with flake with aluminum).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/06/29 14:49
S107	77	S106 and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/06/29 14:50
S108	0	S106 and thickness and water near coverage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/06/29 14:50
S109	0	S106 and water near coverage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/06/29 14:51
S110	4	S106 and thickness and roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/06/29 14:51

6/ 29/ 2010 3:23:46 PM

C:\ Documents and Settings\ pparvini\ My Documents\ EAST\ Workspaces\ 10552116_aluminum
pigments.wsp